

Deep River Town Hall Auditorium

Technical Information

HOUSE SPECIFICATIONS

Mailing Address:

Deep River Town Hall
 Restoration Association, Inc.
 P.O. Box 127
 Deep River, Connecticut 06417

Seating Capacity

Orchestra	126
Orchestra wheelchair spaces	4
Balcony	50
Total capacity	180

Loading

Elm Street
 Elevator to Auditorium

Conference Equipment

Ten (10) - 6' Diameter Tables - seating - 100
 Ten (10) - 30" X 6' Tables - seating - 80

STAGE SPECIFICATIONS

Proscenium arch width	25' - 4"
Proscenium arch height	14' - 3"
Depth of stage (from stage lip)	22' - 4"
Height of stage	3' - 1"
Stage floor -	maple unpainted

Rigging

Number of line sets	11
Height of grid from stage floor	16' - 8"

FLIES	DESCRIPTION	FEET FROM STAGE LIP
Proscenium Valance	Burgundy - 3' - 0" H X 29' - 0" W	6' - 0"
Proscenium Traveler	Burgundy - 13' - 0" H X 29' - 0" W 2 pc.	6' - 0"
1st Electric	22' pipe	8' - 2"
#1 Set Rod	22' pipe	9' - 9"
#1 Border	Black 5' - 0" H X 29' - 0" W	11' - 10"
#1 Traveler	Black 13' - 0" H X 15' - 0" W 2pc.	13' - 10"
2nd Electric	21' pipe	15' - 1"
#2 Set Rod	21' pipe	16' - 10"
#2 Border	Black 5' - 0" H X 26' - 0" W	19' - 2"
#2 Traveler	Black 13' - 0" H X 14' - 6" W 2pc.	20' - 2"
#3 Set Rod	22' pipe	20' - 9"
#1 Sidelegs	Black 13' - 0" H X 8' - 0" W 2pc.	N/A
#2 Sidelegs	Black 13' - 0" H X 8' - 0" W 2pc.	N/A
2 - Portable Travelers	Black 13' - 0" H X 8' W 1pc.	N/A

LIGHTING	WATTS	NUMBER
6 X 12 Altman 360Q (Ellipsoidal)	750W	8
6 X 10 Ellipsoidal reflector spots	750W	6
6 X 12 Ellipsoidal reflector spots	750W	2
6 X 16 Ellipsoidal reflector spots	750W	6
6" Altman (Fresnel)	750W	12
6 X 8 Fresnel	500W	11
8" Plano-convex (PC)	1000W	2
7" Kliegl - Beam Projector (BP)	300W	2
16" (X 14") - Beam Projector (BP)	1000W	2
4' 6" Striplight/Border - 3 Circuit / 3 color	1200W (12 Lamps)	4
6' Striplight/Border - 3 Circuit / 3 color	1800W (12 Lamps)	4
18' Striplight/Batten fixed - 4 Circuit / 4 color	5400W (36 Lamps)	2
Striplights - N/S Foot	1200W (10 Lamps)	3
Luminator MR-16 Quartz Follow Spot	360W FLE	2

DIMMERS	CHANNEL / WATTS - MAX.	NUMBER
NSI DDS 9800 Dimmer / Relay	8 / 19,200W	4
House		4
Work		2
Floor - misc.		1

LIGHTING CONTROL BOARD	MODEL	NUMBER
NSI 16/32 Channel (Micro-Plex) or	7016	1
NSI Interface Unit (DMX 512)	I/F 501	1
Enttec Lightfactory (Windows 2000, XP)	36CH	1

ORDER BOARD		NUMBER
9 Channel		1

HOUSE SOUND SYSTEM	MAKE	NUMBER
Mixing Console	Yamaha MC Series 1640	1
Console	Alesis - Studio 12R	1

Amplifier	QSC Audio - USA Series 400	1
Speakers	Electro-Voice - Sx100+ - 200Watt	2
Power and Light Module	Furman - PL-8	1
Compact Disc Player / Cassette Player	Tascam - CD-A500	1
Microphones	Telex/Pro Star - Wireless	1
	Audio-Technics - Pro 4L - Cardioid	2
	Choir Mic. Pro 45	2
	Clip-on 48-89-A	1
Microphone Stands	Floor Stand	1
	Table Stands	2

PROJECTION EQUIPMENT	DESCRIPTION	NUMBER
----------------------	-------------	--------

Screen	Fixed / Motorized - 12 ft. X 12 ft.	1
Projector	Christie LX45 (1024 X 768 XGA LCD)	1
Lens	Christie 2.1 - 3.4:1 (Zoom)	1
VHS/DVD	Panasonic PV-D4744	1

PORTABLE RISERS	DESCRIPTION	NUMBER
-----------------	-------------	--------

4 ft. X 4 ft. X 24 in.	see riser plan for configuration	8
4 ft. X 8 ft. X 16 in.	see riser plan for configuration	3
4 ft. X 4 ft. X 8 in.	see riser plan for configuration	3

PORTABLE SOUND SHELL	DESCRIPTION	NUMBER
----------------------	-------------	--------

Wenger Series 69	12' - 2" X 3' - 4" frame	5
	9' X 3' - 4" filler panels	4
see riser plan for configuration		